Boy-Solid® Built for Life

my workout. my schedule.

my life.





Horizontal Grip Chest Press (pectorals) . Insert pin into weight stack at desired resistance level. 2. Adjust Press Arm to the Chest Press position and set back

pad to the Chest Press position. 3. Adjust seat pad height so that when seated the horizontal press handles bisect the chest (pectoral) muscles. 4. Sit comfortably on the seat pad with your back flat against the back pad. 5. Grasp horizontal press handles with your arms bent and palms facing downward. 6. Keeping your elbows out and below your shoulders, extend your arms forward at a smooth, moderate pace throughout the exercise movement.

7. Pause for a moment, then slowly return to the starting

8. Exhale on exertion, inhale on return motion.



Incline Press (pectorals) Insert pin into weight stack at desired resistance level. . Adjust Press Arm to the Incline Press position and set back pad to the Incline Press position.

4. Sit comfortably on the seat pad with your back flat against the back pad. 5. Grasp horizontal press handles with your arms bent and palms facing downward. 6. Keeping your elbows out and below your shoulders, extend your arms forward at a smooth, moderate pace throughout the exercise movement 7. Pause for a moment, then slowly return to the starting position. Repeat movement.



Pectoral Fly (pectorals)

. Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position. . Adjust seat pad height so that when seated the pec arm handles are below your shoulder level and your arms are approximately parallel with the floor. 3. Sit comfortably on the seat pad facing away from the machine and your back flat against the back pad. 4. Reach back and grasp the pec arm handles on each side. 5. Use Chest muscle strength to bring your arms forward and toward each other. 6. Pause for a moment, then slowly return to the starting position. Repeat movement. . Exhale on exertion, inhale on return motion.





Shoulder Press (deltoids)

position. Repeat movement

Insert pin into weight stack at desired resistance level. 2. Adjust Press Arm to the Shoulder Press position and set back pad to the Shoulder Press position. 3. Adjust seat pad height so that when seated the horizontal press handles bisect the shoulder (deltoid) muscles. 4. Sit comfortably on the seat pad with your back flat against

the back pad. 5. Grasp horizontal press handles with your arms bent and palms facing downward. 6. Keeping your elbows out, extend your arms forward at a smooth, moderate pace throughout the exercise 7. Pause for a moment, then slowly return to the starting position. Repeat movement. 8. Exhale on exertion, inhale on return motion.



Upright Row (deltoids & trapezius) . Insert pin into weight stack at desired resistance level. 2. Attach Straight Bar to low pulley cable. 3. Stand erect, facing machine, with your feet approximately shoulder width apart and grasp the bar with your hands

arms straight down. 5. Keeping your elbows above your hands at all times, slowly pull the bar upward until the back of your hands are even 6. Pause for a moment, then slowly return to the starting position. Repeat movement. 7. Exhale on exertion, inhale on return motion.



Lateral Deltoid Raise (deltoids) . Insert pin into weight stack at desired resistance level.

2. Attach Stirrup Handle (optional) to the low pulley cable. 3. Stand with your right side toward the machine. 4. Securely grasp the handle with your left hand and your palm facing down. 5. Use Shoulder muscle strength to slowly raise the handle upward and outward in a semicircular arc until it is in a position slightly above shoulder level. 6. Pause for a moment, then slowly return to the starting

position. Repeat movement. Exhale on exertion, inhale on return motion. 8. Change hands, turn around, and repeat with the opposite



Lat Pull Down (latissimus dorsi)

I. Insert pin into weight stack at desired resistance level. 2. Adjust Press Arm to the Storage position and attach Lat Bar to the high pulley cable. 3. Adjust seat pad so your legs will lock-down comfortably under lat hold-down rollers. Sit on seat pad facing into

4. Grasp Lat Bar 3 to 6 inches wider than your shoulders on 5. Keeping your elbows back during movement, slowly pull the Lat Bar down until it lightly touches the upper part of your chest. Never pull down toward your head or neck. 6. Pause for a moment, then slowly return to the starting position. Repeat movement. Exhale on exertion, inhale on return motion



Back Hyperextension (lower back) . Insert pin into weight stack at desired resistance level.


2. Set Press Arm to Mid Row position. . Adjust seat neight to the highest position and sit facing into the machine. 4. Adjust back pad to a position that allows your upper body to lean slightly forward while grasping the Mid Row

Keep both your arms and back straight during movement. Slowly lean backward, pivoting at the hips, to a 45° angle. 6. Pause for a moment, then slowly return to the starting position. Repeat movement. 7. Exhale on exertion, inhale on return motion.



Chest Supported Mid Row (latissimus dorsi) . Insert pin into weight stack at desired resistance level. 2. Sit facing machine. Lock your legs under rollers. Adjust seat neight so that when seated the Press Arm pivot to slightly below your chest area. 3. Adjust chest pad and Press Arm handles to match arm length for full stretch. Keep chest flat against pad throughout movement. 4. Grasp the handles with both hands allowing the weight to gently stretch your Lats. . Using Upper Back strength pull the handles toward you. Continue to pull the Press Arm Handles until they are even with your midsection.

6. Pause for a moment, then slowly return to the starting position. Repeat movement. 7. Exhale on exertion, inhale on return motion.



Biceps Curl (biceps) Insert pin into weight stack at desired resistance level. 2. Attach Straight Bar to low pulley cable.

3. Facing the machine, take an underhand grasp on the bar. Stand erect with your feet set at shoulder width and stand approximately 1 to 2 feet away from the machine. Your Arms should be down at your sides with the bar resting on your thighs. 4. Keeping your upper arms locked against the sides of your torso, use Bicep strength to "curl" the bar upward and forward in a semicircular arc to a position beneath vour chin. 5. Pause for a moment, then slowly return the bar back along the same arc, to the starting position.



Triceps Pressdown (triceps) I. Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position. 2. Attach Straight Bar to high pulley cable. 3. Facing the machine, stand erect with your feet set at

approximately shoulder width. Grip the bar securely with your palms facing forward. 4. Pull the bar down and lock your upper arms against the sides of your torso where they must remain throughout the exercise movement. Lean slightly forward at the waist. 5. Moving only your forearms, use Tricep strength to push the bar downward in a semicircular arc to a position below


6. Pause for a moment, then slowly return the bar back along the same arc, to the starting position. Repeat movement. 7. Exhale on exertion, inhale on return motion.



Triceps Extension (triceps) . Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position. 2. Attach Tricep / Ab Strap to mid pulley cable. Adjust back pad to Chest Press position. 3. Sit on seat pad, facing away from the machine. 4. Bend at the waist so that your torso is at an approximate 45° angle. Keep your hands behind your head and your arms bent with your elbows facing forward. . Keeping your upper arms motionless, use Tricep strength to move the strap forward and downward in an arcing motion until your arms are extended. 6. Pause for a moment, then slowly return the strap back

along the same arc, to the starting position. 7. Exhale on exertion, inhale on return motion.

Oblique Bend (obliques)



Resistance Ab Crunch (abdominals) . Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position 2. Attach Tricep / Ab Strap to mid pulley cable and adjust


back pad to Chest Press position 3. Sit on seat pad with your back resting against back pad. Grasp the strap and place it securely over your shoulders, keeping your hands planted firmly on your upper chest throughout the exercise movement. 4. Using Abdominal muscle strength, slowly bend forward at the waist as far as comfortably possible. 5. Pause for a moment, then slowly return back to the

starting position. Repeat movement. 6. Exhale on exertion, inhale on return motion.



Oblique Crunch (obliques & abdominals) . Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position.

2. Attach Tricep / Ab Strap to mid pulley cable and adjust back pad to Chest Press position. 3. Sit on seat pad with your back resting against back pad. Grasp the strap and place it securely over your shoulders, keeping your hands planted firmly on your upper chest throughout the exercise movement. 4. While holding the strap firmly over your shoulders, simultaneously bend forward and rotate your upper body slowly to the left as far as comfortably possible while keeping your legs and hips stationary. 5. Pause for a moment, then slowly return to the starting 6. Alternate the movements from the left to the right and then repeat the movements. 7. Exhale on exertion, inhale on return motion.



. Insert pin into weight stack at desired resistance level. 2. Attach Stirrup Handle (optional) to low pulley cable. 3. Take an overhand grasp of the strap with your right hand and stand 1 to 2 feet away from the machine with your right side toward the machine. 4. Keeping your arm, legs, and hips straight, bend your torso away from the machine. . Pause for a moment, then slowly return your torso back along the same arc, to the starting position.

Repeat movement. 6. Exhale on exertion, inhale on return motion. 7. Turn around and repeat with the opposite hand.



ABS



Leg Abduction (hip & outer thigh) . Insert pin into weight stack at desired resistance level. 2. Adjust Press Arm and grasp it for stability and balance during exercise movement. Attach Utility Strap to your left ankle and low pulley cable. Stand 1 to 2 feet away from the pulley with your right side toward the machine. 3. Keeping your legs straight and body balanced, allow the weight to pull your left leg across your body and toward the machine.

. Using Outer Thigh strength, slowly pull your left leg across and away from your body as far as comfortably possible. 5. Pause for a moment, then slowly return along the same arc, to the starting position. Repeat movement. 6. Exhale on exertion, inhale on return motion. 7. Turn around and repeat with the opposite leg.



Leg Adduction (hip & inner thigh) Insert pin into weight stack at desired resistance level. 2. Adjust Press Arm and grasp it for stability and balance during exercise movement. Attach Utility Strap to your right ankle and low pulley cable. Stand 1 to 2 feet away from the pulley with your right side toward the machine. 3. Keeping your legs straight and body balanced, allow the weight to pull your right leg away from your body and toward the machine.

4. Using Inner Thigh strength, slowly pull your right leg toward and across your body as far as comfortably . Pause for a moment, then slowly return along the same arc, to the starting position. Repeat movement. 6. Exhale on exertion, inhale on return motion. 7. Turn around and repeat with the opposite leg.



Leg Press (quadriceps, hamstrings, & glutes) . Insert pin into weight stack at desired resistance level. 2. Adjust back pad to desired starting position. 3. Sit comfortably on seat pad with your back flat against the back pad and your feet securely against the press plate. . Grasp the handles at your sides for balance and stability. . Using leg muscles, slowly press the foot plate until your legs are extended. **Do not lock-out your knees.** Pause for a moment, then slowly return to the starting position. Repeat movement. Exhale on exertion, inhale on return motion.

Leg Press Station Optional #GLP



Leg Extension (quadriceps) . Insert pin into weight stack at desired resistance level and adjust Press Arm to Storage position. 2. Sit comfortably on seat pad. Place knees over the top roller pads and hook your feet under the bottom leg pads.

4. Pause for a moment, then slowly return your feet back along the same arc, to the starting position. Repeat movement. 5. Exhale on exertion, inhale on return motion.

3. Using Quadricep strength, extend your feet outward and upward until your legs are fully extended.



Standing Leg Curl (hamstrings & leg biceps) . Insert pin into weight stack at desired resistance level. 2. Stand facing machine and hook your left heel under the bottom leg pad with left knee positioned slightly below the top roller pad. Adjust the back pad and / or Press Arm and grasp for stability during exercise movement. 3. Use Hamstring strength to pull and curl your left foot upward, bending your knee as much as possible. 4. Pause for a moment, then slowly return to the starting position. Repeat movement. 5. Exhale on exertion, inhale on return motion. 6. Change sides and repeat with opposite leg.



Calf Press (gastrocnemius) . Insert pin into weight stack at desired resistance level. 2. Adjust back pad to desired position. 3. Sit comfortably on seat pad with your back flat against the back pad and the balls of your feet on the bottom portion of the press plate. . Grasp the handles at your sides for balance and stability.

Extend your legs and hold them in this position throughout the exercise. Do not lock-out your knees. Flex your toes forward as far as you comfortably can, hold that position for a moment and return to the furthest back position you comfortably can. Exhale on exertion, inhale on return motion.

3/28/05 11:46:29 AM

Leg Press Station Optional #GLP

High Pulley 100% Lat Bar Press Arm Adjustment Mid Pulley 100% **Press Arm** Pec Dec 75% Press & Mid Row Handles 100% Adjustable Back Pad **Lat Hold Down Rollers** Adjustable Seat Pad

KNOW YOUR GYM

Percentages indicate weight ratios. Example: When using high pulley, 100 lbs. would equal 100 lbs. of actual weight. When using pec dec, 100 lbs. would equal 75 lbs. of actual weight.

SAMPLE EXERCISE PROGRAMS

A. Exercise your complete body every other day, up to three times a week. The one day rest enables your body to recover from the previous workout.

B. Alternate your daily workouts. One day isolate the upper body exercises, and the next day perform the lower body exercises.

It is important to first establish specific and realistic goals. You should determine your long term goal and then set a series of short term goals that will help you attain your long term goal. For maximum results, follow a complete fitness program that includes proper nutrition, aerobic exercise and strength training.

SAMPLE TRAINING METHODS

1. FOR MUSCULAR ENDURANCE & DEFINITION: This training method incorporates achieving and maintaining a high cardiovascular (heart) rate and helps burn away excess fatty tissue. It also adds muscle definition and muscular endurance to your entire body. Exercises are most commonly performed for 15 to 20 repetitions and 3 to 4 sets using a light to moderate weight. The rest period between sets should be about 30 seconds. These short rest intervals will help maintain an elevated heart rate and prevent the muscles from cooling down.

2. FOR STRENGTH: This type of training is the most popular of the three and is designed specifically for increasing strength throughout the muscle and the muscle-tendon junction. This type of training is especially important for athletes. Normally, exercises are performed using moderate to heavy weight for 8 to 12 repetitions and 2 to 3 sets. The rest period between sets should be from 60 to 90 seconds. This allows a degree of muscle recovery before you hit them again.

3. FOR POWER & MUSCLE MASS: This is the method most often used by bodybuilders and is recommended only for the intermediate and advanced lifter. The weights used are heavy – this shocks the muscles and stimulates a more rapid increase in muscle size. Usually exercises are performed for 2 to 6 repetitions and 3 to 4 sets using very heavy weight. The rest period between sets should be 3 to 4 minutes. The prolonged rest periods allow ample time for recovery between sets.

A **repetition** is defined as one complete movement from the starting position, through the full range of motion, and back to the starting position. A set is defined as a series of continuous repetitions. Start your exercise program conservatively. Select a weight for each exercise that is easily performed for the full range of motion. Learn to feel your body's responses and change your program and training method accordingly. See Owner's Manual for more information.

AFETY **EXERCISE SAFETY**

Leg Extension & Leg Curl 150%

Low Pulley 100%

1. Consult your physician before beginning any exercise program.

2. Always warm up your muscles before starting a workout by doing at least 5 to 15 minutes of cardiovascular exercise. Then do an 8 to 12 minute stretching routine. Stretch slowly (without bouncing) and hold each stretch for at least 10 seconds. The two main purposes for stretching are injury prevention and a faster rate of recovery from exercise. Stretching should be performed in both the warm up and cool down phases of a training program.

3. Use proper form. Maintain proper spinal alignment and head positioning throughout your workout. Focus on only working the muscle group intended for the exercise you are doing. If there is strain elsewhere, you may need to re-evaluate the amount of weight that is involved with the lift. Keeping proper form also includes maintaining control through the entire range of motion.

your breath during any part of an exercise **5.** Be sure that all users carefully read and understand all warning, safety and maintenance labels on the machine before each use. It is absolutely necessary that you familiarize yourself and all others with the proper operation of this machine prior to use.

4. Breath properly. Exhale during the pressing action and inhale upon returning to the start position. Do not hold

6. Avoid the risk of injury by remaining within your limits.

P R E C A U T I O N S **EQUIPMENT SAFETY**

1. Make sure that all users read and understand the Owner's Manual, all warning labels and all decals on this machine prior to use. Please use all precautionary measures necessary for safety.

2. Keep observers (especially children) at a safe distance away from the machine while in operation. Do not allow children to play on or around the machine at any time.


3. Carefully inspect the machine before each use. Check that all nuts, bolts, pop pins and adjustment points are in place and fully tightened. Replace worn parts immediately


4. Cable inspection should performed daily. Cables are wear items. It is your responsibility to prevent unexpected breakage. Replace any damaged or worn cable immediately. Do not allow the machine to be used until damaged or worn cables are replaced. Using a machine with a suspect cable can result in serious injury. See Owner's Manual for

5. Always stay clear of all weights and all moving parts when machine is in use. Obtain assistance to free any jammed parts. Never attempt to free a jammed part by

6. Maintain a regular routine of preventative maintenance.

7. For your own safety, do not begin any exercise program without proper instruction. See Owner's Manual for more information.





Erector Spinae **Gluteus Maximus**

Teres Major

Latissimus Dorsi

© Copyright 2005. Body-Solid, Inc. All rights reserved. Body-Solid reserves the right to change design and specifications when we feel it will improve the product. Body-Solid machines maintain several patented and patent pending features and designs. All rights reserved on all design patents and utility patents.

For further information, contact Body-Solid, Inc. 1900 South Des Plaines Avenue, Forest Park, IL 60130 USA • Phone: 1-708-427-3555 • Fax: 1-708-427-3556 • Web: www.bodysolid.com

Poster G5S.indd