


# SLM-300G LAT MACHINE



THERE IS A RISK ASSUMED BY INDIVIDUALS WHO USE THIS TYPE OF EQUIPMENT. TO MINIMIZE RISK, YOU MUST FOLLOW THESE RULES:

1. Inspect equipment before each workout. Check that all nuts, bolts, screws and pop pins are in place and fully tightened. Also, before use, check cables for signs of wear. Replace all worn parts immediately. Never use machine if any parts are damaged or missing. Failure to follow these rules may result in serious injury.
2. Keep clear of the cables and all moving parts when the machine is in use.
3. Always make sure all Snap Links are closed when doing any cable/pulley exercises.
4. Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury.
5. It is recommended that you should workout with a training partner.
6. Do not allow children or minors to play on or around this equipment.
7. If unsure of proper use of equipment, call your local Body-Solid distributor or the Body-Solid customer service department at 1-800-556-3113.
8. **WARNING:** Consult your physician before starting your exercise program. For your own safety, do not begin any exercise program without proper instruction.

RAL2-11-98

## Warning, Safety & Maintenance

Be sure that all users carefully read and understand all warning, safety and maintenance labels on the machine before each use. Failure to do so may result in death or serious injury.

It is imperative that you retain your Owner's Manual and be sure all warning labels are legible and intact. Replacement Owner's Manuals and warning labels are available from your local Body-Solid dealer.

If you have any questions about the operation, set up or maintenance of this machine please call our customer service department at 1 (800) 556-3113.

### THERE IS A RISK ASSUMED BY INDIVIDUALS WHO USE THIS TYPE OF EQUIPMENT. TO MINIMIZE RISK, YOU MUST FOLLOW THESE RULES:

1. Inspect equipment before each workout. Check that all nuts, bolts, screws and pop pins are in place and fully tightened. Also, before use, check cables for signs of wear. Replace all worn parts immediately. Never use machine if any parts are damaged or missing.  
**FAILURE TO FOLLOW THESE RULES MAY RESULT IN SERIOUS INJURY.**
2. Keep clear of the cables and all moving parts when the machine is in use.
3. Always make sure all Snap Links are closed when doing any cable/pulley/strap exercises.
4. Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury.
5. It is recommended that you should workout with a training partner.
6. Do not allow children or minors to play on or around this equipment.
7. If unsure of proper use of equipment, call your local Body-Solid distributor or the Body-Solid customer service department at 1-800-556-3113.
8. **WARNING:** Consult your physician before starting your exercise program. For your own safety, do not begin any exercise program without proper instruction. RAL8-6-03 WC-54

MAINTENANCE SCHEDULE	
	WEEKLY
Check the function and integrity of the following components. As noted, inspect equipment before each workout. Replace all damaged, broken or worn components immediately.	
Cables:	Check tension, end fittings, and coating
	Check that locking nut at weight stack is tight
Upholstery:	Wipe down and dry
	Clean and condition
Frame:	Wipe down and dry
	Polish / Wax
Chrome:	Wipe down and dry
	Polish / Lubricate
Nuts / Bolts / Fasteners:	Tighten and / or adjust as needed
Guide Rods:	Lubricate and clean
Linear Rods:	Lubricate and clean
Seat Sleeves:	Lubricate and clean
Adjustments / Locking Pins / Tightening Knobs	
Weight Stack Pins	
Warning Instruction Labels	
Springs / Pop Pins	
Anti Skid Surfaces	
Hand Grips / Rollers	

For Body-Solid Customer Service  
**Call 1-800-556-3113**  
#MSSTKR0803

## WARNING

### Safety and Maintenance of Cables

**IMPORTANT:** Cables are wear items. It is your responsibility to prevent unexpected breakage.

#### Cable inspection should be performed daily.

Inspect all cables, the nylon coating on all cables, and the area near the fitting at each end of each cable.

#### Replace any damaged or worn cable immediately.

Do not allow the machine to be used until damaged or worn cables are replaced. Using or allowing a machine to be used with a suspect cable can result in serious injury. See Owner's Manual for more information.

For Body-Solid Customer Service  
**Call 1-800-556-3113**

# Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician.

*Il est conseillé de subir un examen médical complet avant d'entreprendre tout programme d'exercice.  
Si vous avez des étourdissements ou des faiblesses, arrêtez les exercices immédiatement.*

*Antes de comenzar cualquier programa de ejercicios, deberías tener un examen físico con su doctor.*

## **When using exercise equipment, you should always take basic precautions, including the following:**

- Read all instructions before using your machine. These instructions are written to ensure your safety and to protect the unit.
- **Do not remove any safety labels from the machine.**
- Do not allow children on or near the equipment.
- Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer. Such attachments might cause injuries.
- Wear proper exercise clothing and shoes for your workout, no loose clothing.
- Keep hands, limbs, loose clothing, and long hair well out of the way of all moving parts.
- Use care when getting on or off the unit.
- Do not overexert yourself or work to exhaustion.
- If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- Never operate unit when it has been dropped or damaged. Return the equipment to a service center for examination and repair.
- Never drop or insert objects into any opening in the equipment.
- **IMPORTANT:** Cables are wear items. It is your responsibility to prevent unexpected breakage. Cable inspection should be performed daily. Inspect all cables, and the area near the fitting at each end of each cable. Replace any damaged or worn cable immediately. Do not allow the machine to be used until these are replaced.
- Do not use the equipment outdoors or near water.

## **Personal Safety During Assembly**

- Before beginning assembly, please take the time to read the instructions thoroughly.
- Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- Assemble and operate your machine on a solid, level surface. Locate the unit a few feet from the walls or furniture to provide easy access.

Your machine is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise.

After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call the dealer from whom you purchased the machine or call **1-800-556-3113** for the dealer nearest you.

## **Obtaining Service**

Please use your Owner's Manual to make sure that all parts have been included in your shipment. When ordering parts, you must use the part number and description from your Owner's Manual. Use only Body-Solid replacement parts when servicing this machine. Failure to do so will void your warranty and could result in personal injury.

For information about product operation or service, check out the official Body-Solid website at [www.bodysolid.com](http://www.bodysolid.com) or contact an authorized Body-Solid dealer or a Body-Solid factory-authorized service company or contact Body-Solid customer service at one of the following:

**Toll Free:** **1-800-556-3113**  
**Phone:** **1-708-427-3555**  
**Fax:** **1-708-427-3556**  
**Hours:** **M-F 8:30-5:00 CST**  
**E-Mail:** [service@bodysolid.com](mailto:service@bodysolid.com)


**Or write to:** **Body-Solid, Inc.**  
**Service Department**  
**1900 S. Des Plaines Ave.**  
**Forest Park, IL 60130 USA**

**Retain this Owner's Manual for future reference. If you need to order replacement parts please be prepared to provide the following information when contacting us so that we can assist you better.**

- 1. Model Number**
- 2. Proof of Purchase**
- 3. Place of Purchase**
- 4. Serial Number (S/N)**
- 5. Part # and Description**


## SLM-300G HARDWARE ILLUSTRATION SHEET

	Qty.	Qty.
	A1. 1/2"X5 1/2" HEX HEAD BOLT -----	[6PCS]
	A2. 1/2"X5" HEX HEAD BOLT -----	[4PCS]
	A3. 1/2"X4 1/2" HEX HEAD BOLT -----	[2PCS]
	A4. 1/2"X3 1/4" HEX HEAD BOLT -----	[2PCS]
	A5. 3/8"X2 3/4" HEX HEAD BOLT -----	[4PCS]
	A6. 3/8"X1 3/4" HEX HEAD BOLT -----	[2PCS]
	A7. 5/16"X3" HEX HEAD BOLT -----	[2PCS]
	A8. 7/16"X1 1/2" ROUND BOLT -----	[1PCS]
	A9. 5/16"X3/8" SET SCREW -----	[3PCS]
	A10. 5/8"X1 3/4" ROUND BOLT -----	[1PCS]
	A11. 15LB BALL PIN -----	[1PCS]
	A12. ø10X85L PIN -----	[1PCS]
	B1. 1/2" NYLON LOCK NUT -----	[12PCS]
	B2. 3/8" NYLON LOCK NUT -----	[6PCS]
	B3. 5/8" LOCK NUT -----	[1PCS]
	C1. 1/2" ROUND END CAP WASHER --	[24PCS]
	C2. 3/8" ROUND END CAP WASHER --	[12PCS]
	C3. 1/2" (I.D)WASHER -----	[2PCS]
	C4. 5/16" (I.D)WASHER -----	[2PCS]
	C5. 5/16" SPRING WASHER -----	[2PCS]
	C6. 5/8" SPRING WASHER -----	[1PCS]
	C7. ø4" CHROME WASHER-----	[2PCS]
	D1. 1/2" BOLT CAP -----	[36PCS]
	D2. 2"X4" END CAP (9211-014)-----	[1PCS]
	D3. 45X45 END CAP (9211-091)-----	[1PCS]
	D4. ø16X14 STEEL BUSHING (8530-003)-	[8PCS]
	D5. ø8 SPRING SNAP LINK (8810-001)--	[3PCS]
	D7. 2"X4" FOOT CAP (9211-028)-----	[2PCS]
	D8. 50X45 NYLON BUSHING (9211-030)-	[1PCS]
	D9. ø1"X135L RUBBER GRIP (9212-016)-	[1PCS]
	D10. ø4 1/2" PULLEY (9213-010)-----	[6PCS]
	D11. ø3/4" SHAFT COLLAR (9211-046)--	[2PCS]
	D12. 2"X4" RUBBER DOUNT (9212-009)--	[2PCS]
	D13. ø3" NYLON WASHER (9214-008)---	[4PCS]
	D14. NO-SLIP TAPE (9630-003)-----	[2PCS]
	D15. ø4" RUBBER DONUT (9310-017)---	[2PCS]
	D16. ø6"X10" FOAM ROLLER (9161-016)--	[2PCS]
	D17. CHROME TOP PLATE (8400-002)---	[1PCS]
	D18. WEIGHT SELECTOR BAR (8220-060)-	[1PCS]
	D19. 2700mm STEEL CABLE -----	[1PCS]
	D20. 3350mm STEEL CABLE -----	[1PCS]
	D21. ø5/8" ROUND END CAP (9211-015) [4PCS]	
	D22. ø1" SHAFT COLLAR (8130-024)---	[2PCS]
D11	D12	D13
D14	D15	D16




# SLM-300G PARTS ILLUSTRATION SHEET


A [1PCS] WEIGHT STACK FRAME




B [1PCS] MAIN BASE FRAME




C [1PCS] VERTICAL SUPPORT FRAME



D [1PCS] TOP LAT FRAME




J [1PCS] LAT BAR



K [2PCS] CHROME GUIDE ROD




N [1PCS]  
2"X6" PLATE




O [1PCS]  
2"X8" PLATE




P [2PCS]  
PULLEY PLATE




E [1PCS]  
HANDLE REST




F [1PCS]  
LEG HOLD DOWN




H [1PCS]  
GUIDE ROD BRACKET



I [1PCS]  
TRIANGLE BAR




L-1 [1PCS]  
FOOT ROLLER BAR  
(Ø1"X610mm)




M [2PCS]  
2"X4" PLATE



Q [1PCS] SEAT PAD



# SLM-300G



# SLM-300G LAT MACHINE ASSEMBLY STEPS

## STEP-1

NOTE: DO NOT TIGHTEN NUTS AND BOLTS SECURELY UNTIL  
YOU HAVE COMPLETED ALL ASSEMBLY STEPS.

- Attach A Weight Stack Frame to B Main Base Frame.
- Attach C Vertical Support Frame to B Main Base Frame.
- Attach K Chrome Guide Rods and D15 Rubber Donuts to A Weight Stack Frame.
- Slide Weight Stack Plates and D17 Chrome Top Plate onto K Chrome Guide Rods.

## STEP-2

- Attach H Guide Rod Bracket and D Top Lat Frame to A Weight Stack Frame and C Vertical Support Frame and attach D11 Shaft Collar.
- Slide F Leg Hold Down into B Main Base Frame.
- Slide L Foot Roller Bar into F Leg Hold Down.
- Attach E Handle Rest to C Vertical Support Frame.
- Attach G Foot Tube to B Main Base Frame.

**CAUTION: DO NOT OVERTIGHTEN PAD BOLTS.  
OVERTIGHTENING WILL STRIP  
T-NUTS IN THE WOOD.**

## STEP-3

- Attach Q Seat Pad to B Main Base Frame.
- Attach D16 Foam Rollers to L Foot Roller Bar.
- Attach Pulleys and Cables as shown.
- Attach End Caps, Grips and Numbers.
- TIGHTEN ALL NUTS AND BOLTS SECURELY.
- Attach Bolt Caps.

### SAFETY RULES

1. Periodically check that all nuts, bolts and screws are fully tightened on your LAT MACHINE.
2. Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury.
3. It is recommended that you should workout with a training partner.
4. Warning: CONSULT YOUR PHYSICIAN BEFORE STARTING YOUR EXERCISE PROGRAM. IT IS ADVISABLE TO HAVE A PHYSICAL EXAMINATION BEFORE YOU ENTER ANY EXERCISE PROGRAM. FOR YOUR OWN SAFETY, DO NOT BEGIN ANY EXERCISE WITHOUT PROPER INSTRUCTION.

# SLM-300G LAT MACHINE

